



Wabash RT

Wabash RT is a new kind of eBike that gives you excellent performance on the tarmac together with the ability to escape from the city and explore new countryside trails. And with its sophisticated rider-assist electronics, sleek good looks and advanced Yamaha technology, this new gravel bike offers one of the best price/performance packages in its class.

Escape and explore,

Everything about this quality eBike is designed to ensure that you get the most enjoyment out of every journey. The beautifully styled frame features new school geometry that gives a confident and comfortable ride with lightweight handling on the tarmac and gravel. And the dropper post gives between 40mm suspension, 40mm(S), 60mm(ML) adjustable suspension for added comfort on the trail.

Producing 70Nm of torque, the ultra-quiet Yamaha PW-ST drive unit is equipped with sophisticated technology that provides the appropriate level of assistance to give you a totally natural ride. Zero cadence technology provides instant power as soon as you start to pedal – and the Display A interface provides easy to understand information. *40mm small frame, 60mm medium and large frames

Wabash RT - BITNE KARAKTERISTIKE



Style with versatility

With its elegant lines, ultra-compact drive unit and seamlessly integrated battery, the Wabash RT is an extremely sleek and stylish eBike. And the real beauty of this versatile new gravel bike is its smooth and natural performance that feels just right whether you're commuting into the city, cruising around the suburbs or exploring a backroad or forest track.



Ergonomics and geometry designed for gravel riding

Wabash RT is the perfect gravel eBike for escaping from the city into the countryside. Its chassis geometry is specially designed to give a controllable ride with lightweight handling characteristics on a variety of road and track surfaces. And whether you're on a local day trip or a longer tour, the relaxed ergonomics and wide drop handlebars make this the easy and enjoyable way to discover new places with family or friends.



Yamaha PWseries-ST drive unit

Producing maximum torque of 70Nm, the PWseries-ST is Yamaha's best-selling drive unit whose compact dimensions and low weight contribute towards the sleek looks and lightweight handling of the Wabash RT. Designed to produce smooth and natural power assistance, this reliable low noise drive unit is ideally suited to a wide range of uses from urban commuting through to countryside trail rides and weekend touring.



Adjustable dropper post

With 40mm to 60mm* of suspension travel, the dropper post gives a comfortable ride on uneven surfaces and enables you to find the best set-up by adjusting the seat height to match your physical size and individual riding style.

*40mm S frame, 60mm M and L frames



Display A interface

The Display A interface provides easy to read information with a simple large format LCD display that includes a speed meter, battery capacity indicator, assist mode setting, trip meter, odometer and range – and for added convenience the support mode can be changed at the press of a button.

Wabash RT - TEHNIČKA SPECIFIKACIJA

General

Total Weight	21.4kg
Wheel Size	700c
E-Bike Class	Pedal Assist

eBike systems

Drive Unit	Yamaha PWSeries ST 3-bolt Mount
Battery	Yamaha Lithium Ion 500Wh, 36V, 13.4Ah
Display/Remote	Display A
Max Speed with Assist	25km/h

Frame

Technology	Yamaha Hydroformed Aluminum. Integrated battery. Water bottle boss. Internal shift/brake hose routing
------------	---

Suspensions

Fork	One-Piece Aluminum. 12x100mm Thru-Axle. Fender and rack compatible. Internal brake hose routing
Rear Shock	N/A

Components

Headset	Integrated bearing with 30mm of spacers
Handlebar	Flare Drop. 31.8 dia. 46cm c-c “width at hood”, 58cm c-c “width at drop”
Stem	31.8 clamp dia. 6 deg rise S-80mm, M-90mm, L-100mm
Grips	Padded Cork Tape
Saddle	Yamaha Off-Road Cro-Mo Rail
Seatpost	30.9 diam. Limotec Suspension Dropper Post, Total Post Length: (M,L) 345mm (S) 295mm, Dropper Travel, (M,L) 60mm (S) 40mm, Suspension Travel (S,M,L) 40mm
Brakes	Shimano GRX RX400 front/rear

Drivetrain

Shifters	Shimano GRX 11-speed RX600
Rear Derailleur	Shimano GRX RX812
Crankarm	Square Taper Spindle Length S-165mm, M and L - 170mm
Chainrings	Shimano GRX 44t
Chain	KMW e11 TURBO EPT
Cassette	Shimano CS-M7000 11-42t 11-Speed

Wheelset

Wheels

Dual Channel Welded Pin w/ Eyeleted Spoke, External Rim
Width=25mmFront: 12x100mm Quick-Release Thru-Axle (QRTA)
Rear: 12x142mm QRTA

Tires

Maxxis Rambler 700 x 45c TR EXO 120tpi